


PHP Version 4.3.11



System	Linux lxh0101.uslec.net 2.6.12-1.1381_FC3smp #1 SMP Fri Oct 21 04:03:26 EDT 2005 i686
Build Date	Oct 12 2006 01:20:38
Configure Command	'./configure' '--host=i686-redhat-linux-gnu' '--build=i686-redhat-linux-gnu' '--target=i386-redhat-linux' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/usr/com' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=./config.cache' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--enable-force-cgi-redirect' '--enable-pcntl' '--disable-debug' '--enable-pic' '--disable-rpath' '--enable-inline-optimization' '--with-bz2' '--with-db4=/usr' '--with-curl' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-gd=shared' '--enable-gd-native-ttf' '--without-gdbm' '--with-gettext' '--with-ncurses=shared' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-png' '--with-pspell' '--with-xml' '--with-expat-dir=/usr' '--with-dom=shared,/usr' '--with-dom-xslt=/usr' '--with-dom-exslt=/usr' '--with-xmlrpc=shared' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-bcmath' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-track-vars' '--enable-trans-sid' '--enable-yp' '--enable-wddx' '--with-pear=/usr/share/pear' '--with-ldap=shared' '--with-imap-ssl' '--with-kerberos' '--with-ldap=shared' '--with-mysql=shared,/usr' '--with-pgsql=shared' '--with-snmp=shared,/usr' '--with-snmp=shared' '--enable-ucd-snmp-hack' '--with-unixODBC=shared,/usr' '--enable-memory-limit' '--enable-shmop' '--enable-calendar' '--enable-dbx' '--enable-dio' '--enable-mbstring=shared' '--enable-mbstr-enc-trans' '--enable-mbregex' '--with-mime-magic=/usr/share/file/magic.mime' '--with-pic' '--with-apxs2=/usr/sbin/apxs'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
additional .ini files parsed	/etc/php.d/domxml.ini, /etc/php.d/gd.ini, /etc/php.d/imap.ini, /etc/php.d/ioncube-loader.ini, /etc/php.d/ioncube.ini, /etc/php.d/ldap.ini, /etc/php.d/mbstring.ini, /etc/php.d/mysql.ini, /etc/php.d/ncurses.ini, /etc/php.d/odbc.ini, /etc/php.d/pgsql.ini, /etc/php.d/snmp.ini, /etc/php.d/sqlite.ini, /etc/php.d/xmlrpc.ini
PHP API	20020918
PHP Extension	20020429
Zend Extension	20021010
Debug Build	no
Thread Safety	disabled

Registered PHP Streams	php, http, ftp, https, ftps, compress.bzip2, compress.zlib
-------------------------------	--

<p>This program makes use of the Zend Scripting Language Engine: Zend Engine v1.3.0, Copyright (c) 1998-2004 Zend Technologies with the ionCube PHP Loader v3.1.16, Copyright (c) 2002-2006, by ionCube Ltd.</p>	
---	---

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	2039	2039
expose_php	On	On
extension_dir	/usr/lib/php4	/usr/lib/php4
file_uploads	On	On
gpc_order	GPC	GPC
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700

highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	::	::
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
max_execution_time	30	30
max_input_time	60	60
memory_limit	32M	32M
open_basedir	/var/www/vhosts/whitehallboca.com/httpdocs/tmp	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
register_argc_argv	On	On
register_globals	Off	Off
report_memleaks	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On

apache2handler

Apache Version	Apache/2.0.53 (Fedora)
Apache API	20020903

Version	
Server Administrator	rsfccinc@hotmail.com
Hostname:Port	whitehallboca.com:80
User/Group	apache(48)/48
Max Requests	Per Child: 4000 - Keep Alive: off - Max Per Connection: 100
Timeouts	Connection: 120 - Keep-Alive: 15
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core prefork http_core mod_so mod_access mod_auth mod_auth_anon mod_auth_dbm mod_auth_digest util_ldap mod_auth_ldap mod_include mod_log_config mod_env mod_cern_meta mod_expires mod_deflate mod_headers mod_usertrack mod_setenvif mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_proxy proxy_ftp proxy_http proxy_connect mod_cache mod_suexec mod_disk_cache mod_file_cache mod_mem_cache mod_cgi mod_auth_mysql mod_perl sapi_apache2 mod_python mod_ssl mod_jrun20 mod_logio mod_fcgid mod_jk

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	whitehallboca.com
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_4; en-us) AppleWebKit/533.17.8 (KHTML, like Gecko) Version/5.0.1 Safari/533.17.8
HTTP_ACCEPT	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
HTTP_ACCEPT_LANGUAGE	en-us
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	__utmb=17449599.8.10.1283347673; __utmc=17449599; __utma=17449599.1763288664.1254756323.1283279769.1283347673.356; __utmz=17449599.1281101056.321.4.utmcsr=google utmccn=(organic) utmcmd=organic utmctr=Whitehall%20Boca%20rato
HTTP_CONNECTION	keep-alive
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
SERVER_SIGNATURE	<address>Apache/2.0.53 (Fedora) Server at whitehallboca.com Port 80</address>
SERVER_SOFTWARE	Apache/2.0.53 (Fedora)
SERVER_NAME	whitehallboca.com
SERVER_ADDR	209.92.157.53
SERVER_PORT	80
REMOTE_ADDR	99.29.166.216
DOCUMENT_ROOT	/var/www/vhosts/whitehallboca.com/httpdocs
SERVER_ADMIN	rsfccinc@hotmail.com
SCRIPT_FILENAME	/var/www/vhosts/whitehallboca.com/httpdocs/Jobs/phpinfo.php
REMOTE_PORT	59216
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1

REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/Jobs/phpinfo.php
SCRIPT_NAME	/Jobs/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /Jobs/phpinfo.php HTTP/1.1
Host	whitehallboca.com
User-Agent	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_4; en-us) AppleWebKit/533.17.8 (KHTML, like Gecko) Version/5.0.1 Safari/533.17.8
Accept	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
Accept-Language	en-us
Accept-Encoding	gzip, deflate
Cookie	__utmb=17449599.8.10.1283347673; __utmc=17449599; __utma=17449599.1763288664.1254756323.1283279769.1283347673.356; __utmz=17449599.1281101056.321.4.utmcsr=googleutmccn=(organic)utmcmd=organicutmctr=Whitehall%20Boca%20raton
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/4.3.11
Connection	close
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
BZip2 Version	1.0.2, 30-Dec-2001

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

curl

CURL support	enabled
CURL Information	libcurl/7.12.3 OpenSSL/0.9.7a zlib/1.2.1.2 libidn/0.5.6

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

dbx

dbx support	enabled
dbx version	1.0.0
supported databases	MySQL ODBC PostgreSQL Microsoft SQL Server FrontBase Oracle 8 (oci8) Sybase-CT

Directive	Local Value	Master Value
dbx.colnames_case	lowercase	lowercase

dio

dio support	enabled
--------------------	---------

domxml

DOM/XML	enabled
DOM/XML API Version	20020815
libxml Version	20616
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
DOM/XSLT	enabled
libxslt Version	1.1.11
libxslt compiled against libxml Version	2.6.14
DOM/EXSLT	enabled
libexslt Version	1.1.11

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.118.2.37 2005/03/22 22:07:03 edink Exp \$
Supported EXIF Version	0220

Supported filetypes	JPEG, TIFF
----------------------------	------------

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
------------------------	---------

gmp

gmp support	enabled
--------------------	---------

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.3.6

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2001
SSL Support	enabled
Kerberos Support	enabled

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.130.2.11 2005/01/19 00:28:49 sniper Exp \$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20229

mbstring

Multibyte Support	enabled
Japanese support	enabled
Simplified chinese support	enabled
Traditional chinese support	enabled
Korean support	enabled
Russian support	enabled
Multibyte (japanese) regex support	enabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mime_magic

mime_magic support	enabled
---------------------------	----------------

Directive	Local Value	Master Value
mime_magic.magicfile	/usr/share/file/magic.mime	/usr/share/file/magic.mime

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	3.23.58
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock

MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

ncurses

ncurses support	enabled
ncurses library version	5.4
color support	yes

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.7a Feb 19 2003

overload

User-Space Object Overloading Support	enabled
---------------------------------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	4.5 01-December-2003

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	7.4.8
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

posix

Revision	\$Revision: 1.51.2.3 \$
----------	-------------------------

pspell

PSpell Support	enabled
----------------	---------

session

Session Support	enabled
Registered save handlers	files user

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180

session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php/session	/var/lib/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	Off	Off

shmop

shmop support	enabled
----------------------	---------

snmp

NET-SNMP Support	enabled
NET-SNMP Version	5.2.1.2

sockets

Sockets Support	enabled
------------------------	---------

sqlite

SQLite support	enabled	
PECL Module version	1.0 \$Id: sqlite.c,v 1.62.2.16 2004/01/17 00:29:37 edink Exp \$	
SQLite Library	2.8.17	
SQLite Encoding	UTF-8	

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
----------------------	-------------------------

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
EXPAT Version	expat_1.95.7

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

yp

YP Support	enabled
-------------------	---------

zlib

ZLib Support	enabled
Compiled Version	1.2.1.2
Linked Version	1.2.1.2

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader
sysvsem
sysvshm

Environment

Variable	Value
LANG	C
CONSOLE	/dev/console
SELINUX_INIT	YES
MYSQL_UNIX_PORT	/var/lib/mysql/mysql.sock
TERM	linux
PERL5LIB	/usr/local/psa/lib/perl5/site_perl/5.8.5:/usr/local/psa/lib/perl5/site_perl/5.8.5/i386-linux-thread-multi
INIT_VERSION	sysvinit-2.85
PATH	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
runlevel	3
RUNLEVEL	3
PWD	/etc/rc.d/init.d
previous	N
PREVLEVEL	N
PSA_RUN_MODE	1
SHLVL	5
HOME	/
OPENSSL_CONF	/usr/local/psa/admin/conf/openssl.cnf
_	/sbin/initlog

PHP Variables

Variable	Value
_REQUEST["__utmb"]	17449599.8.10.1283347673
_REQUEST["__utmc"]	17449599
_REQUEST["__utma"]	17449599.1763288664.1254756323.1283279769.1283347673.356
_REQUEST["__utmz"]	17449599.1281101056.321.4.utmcsr=googlelutmccn=(organic)lutmcmd=organiclutmctr=Whitehall Boca raton
_COOKIE["__utmb"]	17449599.8.10.1283347673
_COOKIE["__utmc"]	17449599

_COOKIE["__utma"]	17449599.1763288664.1254756323.1283279769.1283347673.356
_COOKIE["__utmz"]	17449599.1281101056.321.4.utmcsr=googleutmccn=(organic)utmcmd=organicutmctr=Whitehall Boca raton
_SERVER["HTTP_HOST"]	whitehallboca.com
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; U; Intel Mac OS X 10_6_4; en-us) AppleWebKit/533.17.8 (KHTML, like Gecko) Version/5.0 Safari/533.17.8
_SERVER["HTTP_ACCEPT"]	application/xml,application/xhtml+xml,text/html;q=0.9,text/plain;q=0.8,image/png,*/*;q=0.5
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	__utmb=17449599.8.10.1283347673; __utmc=17449599; __utma=17449599.1763288664.1254756323.1283279769.1283347673.356; __utmz=17449599.1281101056.321.4.utmcsr=googleutmccn=(organic)utmcmd=organicutmctr=Whitehall%20
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.0.53 (Fedora) Server at whitehallboca.com Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.0.53 (Fedora)
_SERVER["SERVER_NAME"]	whitehallboca.com
_SERVER["SERVER_ADDR"]	209.92.157.53
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	99.29.166.216
_SERVER["DOCUMENT_ROOT"]	/var/www/vhosts/whitehallboca.com/httpdocs
_SERVER["SERVER_ADMIN"]	rsfccinc@hotmail.com
_SERVER["SCRIPT_FILENAME"]	/var/www/vhosts/whitehallboca.com/httpdocs/Jobs/phpinfo.php
_SERVER["REMOTE_PORT"]	59216
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/Jobs/phpinfo.php
_SERVER["SCRIPT_NAME"]	/Jobs/phpinfo.php
_SERVER["PHP_SELF"]	/Jobs/phpinfo.php
_SERVER["PATH_TRANSLATED"]	/var/www/vhosts/whitehallboca.com/httpdocs/Jobs/phpinfo.php
_SERVER["argv"]	Array
_SERVER["argc"]	0
_ENV["LANG"]	C
_ENV["CONSOLE"]	/dev/console
_ENV["SELINUX_INIT"]	YES
_ENV["MYSQL_UNIX_PORT"]	/var/lib/mysql/mysql.sock
_ENV["TERM"]	linux
_ENV["PERL5LIB"]	/usr/local/psa/lib/perl5/site_perl/5.8.5:/usr/local/psa/lib/perl5/site_perl/5.8.5/i386-linux-thread-multi
_ENV["INIT_VERSION"]	sysvinit-2.85
_ENV["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin:/usr/X11R6/bin
_ENV["runlevel"]	3
_ENV["RUNLEVEL"]	3
_ENV["PWD"]	/etc/rc.d/init.d
_ENV["previous"]	N
_ENV["PREVLEVEL"]	N
_ENV["PSA_RUN_MODE"]	1
_ENV["SHLVL"]	5
_ENV["HOME"]	/
_ENV["OPENSSL_CONF"]	/usr/local/psa/admin/conf/openssl.cnf
ENV[""]	/sbin/initlog

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.